

Hawaiian Haze

Batch ID:		Test ID:	5915937.0013
Reported:	26-Oct-2019	Method:	TM16
Type:	Plant		
Test:	Pesticides		

PESTICIDE RESIDUE

Compound	Dynamic Range (ppb)	Result (ppb)	Compound	Dynamic Range (ppb)	Result (ppb)
Acephate	46 - 2112	ND*	Malathion	274 - 2112	ND*
Acetamiprid	46 - 2112	ND*	Metalaxyl	274 - 2112	ND*
Avermectin	274 - 2112	ND*	Methiocarb	46 - 2112	ND*
Azoxystrobin	46 - 2112	ND*	Methomyl	46 - 2112	ND*
Bifenazate	274 - 2112	ND*	MGK 264 1	274 - 2112	ND*
Boscalid	274 - 2112	ND*	MGK 264 2	274 - 2112	ND*
Carbaryl	46 - 2112	ND*	Myclobutanil	46 - 2112	ND*
Carbofuran	46 - 2112	ND*	Naled	274 - 2112	ND*
Chlorantraniliprole	274 - 2112	ND*	Oxamyl	46 - 2112	ND*
Chlorpyrifos	274 - 2112	ND*	Paclobutrazol	46 - 2112	ND*
Clofentezine	274 - 2112	ND*	Permethrin	274 - 2112	ND*
Diazinon	274 - 2112	ND*	Phosmet	274 - 2112	ND*
Dichlorvos	274 - 2112	ND*	Prophos	274 - 2112	ND*
Dimethoate	46 - 2112	ND*	Propoxur	46 - 2112	ND*
E-Fenproximate	274 - 2112	ND*	Pyridaben	46 - 2112	ND*
Etofenprox	46 - 2112	ND*	Spinosad A	46 - 2112	ND*
Etoxazole	46 - 2112	ND*	Spinosad D	46 - 2112	ND*
Fenoxycarb	274 - 2112	ND*	Spiromesifen	46 - 2112	ND*
Fipronil	274 - 2112	ND*	Spirotetramat	274 - 2112	ND*
Flonicamid	46 - 2112	ND*	Spiroxamine 1	46 - 2112	ND*
Fludioxonil	274 - 2112	ND*	Spiroxamine 2	46 - 2112	ND*
Hexythiazox	274 - 2112	ND*	Tebuconazole	274 - 2112	ND*
Imazalil	46 - 2112	ND*	Thiacloprid	46 - 2112	ND*
Imidacloprid	46 - 2112	ND*	Thiamethoxam	46 - 2112	ND*
Kresoxim-methyl	274 - 2112	ND*	Trifloxystrobin	46 - 2112	ND*

* ND = None Detected (Defined by Dynamic Range of the method)

N/A

FINAL APPROVAL


Sam Smith
 26-Oct-2019
 7:55 AM

PREPARED BY / DATE



Chris Jungling
 26-Oct-2019
 11:21 AM

APPROVED BY / DATE

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC.